

**IN THE UNITED STATES DISTRICT COURT
FOR THE SOUTHERN DISTRICT OF WEST VIRGINIA
CHARLESTON DIVISION**

IN RE: ETHICON, INC. PELVIC REPAIR
SYSTEMS PRODUCTS LIABILITY
LITIGATION

Master File No. 2:12-MD-02327
MDL 2327

ETHICON WAVE 2 CASES LISTED IN
EXHIBIT A OF DEFENSE NOTICE OF
ADOPTION

JOSEPH R. GOODWIN U.S. DISTRICT
JUDGE

**PLAINTIFFS' MOTION TO FILE OF AN ADOPTION OF THEIR WAVE 3
OPPOSITION TO DEFENDANTS' MOTION TO EXCLUDE DR. JERRY BLAIVAS, M.D.
IN WAVE 2 OUT-OF-TIME**

Now come Plaintiffs seeking to adopt their Wave 3 Opposition to Defendant Ethicon, Inc.'s ("Ethicon") Motion to Exclude Dr. Jerry Blaivas, M.D. ("Dr. Blaivas") filed with the Court October 11, 2016 (Dkt #2947) as their response to Defendants' Motion to Exclude Dr. Blaivas in Wave 2 of this litigation for reasons set forth in the accompanying Memorandum of Law.

Respectfully submitted,

Date: October 27, 2016

By: /s/ Fidelma L. Fitzpatrick
Fidelma L. Fitzpatrick
Fred Thompson
Motley Rice LLC
321 South Main Street
Providence, RI 02903
Phone: (401) 457-7700
Fax: (401) 457-7708
ffitzpatrick@motleyrice.com
Co-Lead Counsel MDL 2325

CERTIFICATE OF SERVICE

I hereby certify that on October 27, 2016, I electronically filed the foregoing document with the Clerk of the court using CM/ECF system which will send notification of such filing to the CM/ECF participants registered to receive service in this MDL.

By: s/Fidelma L. Fitzpatrick
Fidelma L. Fitzpatrick
Motley Rice LLC
321 South Main Street
Providence, RI 02903
Phone: (401) 457-7700
Fax: (401) 457-7708
ffitzpatrick@motleyrice.com